

HIKVISION

CCTV CATALOGUE

November 2016

Part No.	Description
TVI HIGH DEFINITION ANALOGUE CCTV!	
HIKVISION TVI DVRs 2MP	
 2MP TVI 8 CH 2 HDD BAYS 3TB HDD FITTED	104-663 HIKVISION DS-7208HQHI-SH Turbo HD DVR Turbo HD DVR, 8 Analogue/HD-TVI Inputs + 2 IP Cameras, 2 HDD Bays, 1080p Realtime, Includes 3TB HDD fitted
 2MP TVI 16 CH 2 HDD BAYS 3TB HDD FITTED	104-664 HIKVISION DS-7216HQHI-SH Turbo HD DVR Turbo HD DVR, 16 Analogue/HD-TVI Inputs + 2 IP Cameras, 2 HDD Bays, 1080p Realtime, 1RU Includes 3TB HDD fitted
 2MP TVI 16 CH 4 HDD BAYS 3TB HDD FITTED	104-665 HIKVISION DS-7316HQHI-SH Turbo HD DVR Turbo HD DVR, 16 Analogue/HD-TVI Inputs + 2 IP Cameras, 4 HDD Bays, 1080p Realtime, 2RU, Includes 3TB HDD fitted
HIKVISION TVI DVRs 3MP	
 3MP TVI 4 CH 1 HDD BAY 2TB HDD FITTED	104-746 HIKVISION DS-7204HUHI-F1/N 3MP Turbo HD DVR, 4 Analogue/HD-TVI Inputs + 2 IP Cameras, 1 HDD Bay, H.264/H.264+, HDMI, VGA & CBVS O/P's, Includes 1 x 2TB HDD
 3MP TVI 8 CH 2 HDD BAY 3TB HDD FITTED	104-747 HIKVISION DS-7208HUHI-F2/N 3MP Turbo HD DVR, 8 Analogue/HD-TVI Inputs + 2 IP Cameras, 2 HDD Bay, H.264/H.264+, HDMI, VGA & CBVS O/P's, Includes 1 x 3TB HDD
 3MP TVI 16 CH 2 HDD BAY 3TB HDD FITTED	104-748 HIKVISION DS-7216HUHI-F2/N 3MP Turbo HD DVR, 16 Analogue/HD-TVI Inputs + 2 IP Cameras, 2 HDD Bay, H.264/H.264+, HDMI, VGA & CBVS O/P's, Includes 1 x 3TB HDD
 3MP TVI 32 CH 8 HDD BAY 3TB HDD FITTED	104-769 HIKVISION DS-9016HUHI-F8/N Turbo HD 3.0 Hybrid DVR. 16 Turbo HD 3MP TVI/AHD/Analog interfaces input(up to 32-ch Analog video + IP video), 16-ch video&16-ch audio input, 8 SATA interfaces, 3MP: 15fps, 1920x1080P: 25(P)/30(N) fps/ch,4K UHD output, dual HDMI output, alarm I/O: 16/4, 1.5U 19" case. (Includes 1 x 3TB HDD)

	Part No.	Description
WD PURPLE HARD DRIVES		
	895-151	1TB WD10PURX-78 WD Purple CCTV rated hard drive
	895-184	2TB WD20PURX-78 WD Purple CCTV rated hard drive
	895-185	3TB WD30PURX-78 WD Purple CCTV rated hard drive
	895-186	4TB WD40PURX-78 WD Purple CCTV rated hard drive
	895-189	6TB WD60PURX-78 WD Purple CCTV rated hard drive
SD CARDS		
	104-757	32GB Hikvision long life Micro SD(TF) Card 32GB Up to 25MB/s read speed, 20MB/s write speed
	104-758	64GB Hikvision long life Micro SD(TF) Card 64GB Up to 25MB/s read speed, 20MB/s write speed
HIKVISION TVI CAMERAS - 2 MEGAPIXEL		
 2MP HD TVI	104-666	HIKVISION DS-2CE16D5T-IT3 Turbo HD 2MP TVI Outdoor Bullet Camera, 40m EXIR, WDR, IP66, 2.8mm Lens Compatible accessories: 104-776 mounting base
	104-669	HIKVISION DS-2CE16D5T-(A)VFIT3 Turbo HD 2MP TVI Outdoor Bullet Camera, 50m EXIR, WDR, IP66, 2.8 -12mm Vari-Focal Lens Compatible accessories: 104-776 mounting base
 2MP HD TVI	104-670	HIKVISION DS-2CE16D5T-AIR3ZH Turbo HD 2MP TVI Outdoor Bullet Camera, 50m EXIR, WDR, IP66, 2.8 -12mm Vari-Focal Motorized Lens Compatible accessories: 104-776 mounting base
	104-671	HIKVISION DS-2CE56D5T-AVPIR3Z HD1080p 2MP CMOS Sensor, TVI Outdoor IR Motorized Vari-focal Dome, ICR, 0.01 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, 3D DNR, OSD Menu (Up the Coax), 24 pcs IR LEDs, 40m IR, True WDR, Vandal Proof, 2.8~12mm Motorized Vari-focal Lens Compatible accessories: 104-778 mounting base 104-777 wall bracket 104-812 wall bracket with JB
 2MP HD TVI	104-711	HIKVISION DS-2CE16D9T-AIRAZH TVI 2MP "Longreach" 120m IR, Outdoor EXIR Vari-focal Bullet, 12 VDC/ 24VAC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, Built-in Heater, 5~50mm Motorized Vari-focal Auto Focus Lens
	104-674	HIKVISION DS-1004KI RS-485 PTZ controller Keyboard
 HD TVI		


		Part No.	Description
 2 MP HD TVI		104-675	HIKVISION DS-2AE7230TI HD1080P Turbo IR TVI 30X PTZ Dome Camera, WDR, DNR, 3D, Day Night Compatible accessories: 104-770 wall bracket
		HIKVISION TVI CAMERAS - 3 MEGAPIXEL	
 3MP TRUE WDR HD TVI		104-819	HIKVISION DS-2CE16F7T-IT3 3MP Tube Camera CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu (Up the Coax), True WDR, IP66, 3.6 mm Lens
 3MP TRUE WDR HD TVI		104-820	HIKVISION DS-2CE16F7T-AIT3Z 3MP Tube Camera CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, DNR, OSD Menu (Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-focal Lens
 3MP TRUE WDR HD TVI		104-821	HIKVISION DS-2CE56F7T-ITM 3MP Ball Camera CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu (Up the Coax), True WDR, IP66, 2.8 mm Lens
 3MP TRUE WDR HD TVI		104-822	HIKVISION DS-2CE56F7T-IT3 3.6mm 3MP Ball Camera CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu (Up the Coax), True WDR, IP66, 3.6 mm Lens
		104-822B	HIKVISION DS-2CE56F7T-IT3 2.8mm 3MP Ball Camera CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu (Up the Coax), True WDR, IP66, 2.8 mm Lens
 3MP TRUE WDR HD TVI		104-823	HIKVISION DS-2CE56F7T-IT3Z 3MP Ball Camera CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu (Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-focal Lens

Part No.		Description
	104-824	HIKVISION DS-2CE56F7T-AVPIT3Z 3MP Dome Camera CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Dome, ICR, 0.01 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, Vandal Proof, 2.8~12mm Motorized Vari-focal Lens
		3MP TRUE WDR HD TVI

TVI ACCESSORIES

	104-661	HD VIDEO BALUN TX/RX DS-1H18 200m max. distance using Cat5/6
	104-768	HIKVISION DS-1H33 TVI TO HDMI CONVERTER

Part No.		Description
 HIGH DEFINITION IP CCTV		
HIKVISION NVRs		
 HD IP 4 CH 1 HDD BAY 3TB HDD FITTED	104-698	HIKVISION DS-7604NI-E1/4P 4 Channel IP NVR, 25Mbps Input , 4 Independent PoE Ports, 1 SATA Interfaces Includes 1 x 3TB HDD
 HD IP 8 CH 2 HDD BAY 3TB HDD FITTED	104-682	HIKVISION DS-7608NI-I2/8P 8 Channel IP NVR, 80Mbps Input , 8 Independent PoE Ports, 2 SATA Interfaces Includes 1 x 3TB HDD Supports cameras up to 12 Megapixels.
 HD IP 8 CH 2 HDD BAY 4TB HDD FITTED	104-682B	HIKVISION DS-7608NI-I2/8P 4TB 8 Channel IP NVR, 80Mbps Input , 8 Independent PoE Ports, 2 SATA Interfaces Includes 1 x 4TB HDD Supports cameras up to 12 Megapixels.
 HD IP 16 CH 2 HDD BAY 3TB HDD FITTED	104-681	HIKVISION DS-7616NI-I2/16P 16 Channel IP NVR, 160Mbps Input , 16 Independent PoE Ports, 2 SATA Interfaces Includes 3TB HDD Supports cameras up to 12 Megapixels.
 HD IP 32 CH 4 HDD BAY 3TB HDD FITTED	104-719	HIKVISION DS-7732NI-I4/16P 32 Channel NVR, 256Mbps Bit Rate Input Max, 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case, 19" Includes 1 x 3TB HDD Supports cameras up to 12 Megapixels.
 HD IP 32 CH 4 HDD BAY NO HDD FITTED	104-676	HIKVISION DS-7732NI-SP 32 Channel NVR, 200Mbps Input, 16 PoE Interfaces, 4HDD bays, 1.5U Chassis (No HDD supplied)
 HD IP 32 CH 8 HDD BAY NO HDD FITTED	104-683	HIKVISION DS-7732NI-SP 32 Channel NVR, 200Mbps Input, 16 PoE Interfaces, 8HDD bays, 2U chassis Includes (No HDD supplied)
 HD IP 32 CH 8 HDD BAY NO HDD FITTED	104-685	HIKVISION DS-9632/64NI-I8 32 Channel NVR 320Mbps Bit Rate Input Max (up to 32-ch IP video), supports up to 8 x HDD , RAID 0, 1, 5, 10, supports H.264 & H.264+ and supports up to 12MP cameras. (No HDD supplied)
 HD IP 64 CH 8 HDD BAY NO HDD FITTED	104-687	HIKVISION DS-9664NI-I8 64 Channel NVR 320Mbps Bit Rate Input Max (up to 64-ch IP video), supports up to 8 x HDD, RAID 0, 1, 5, 10 , supports H.264 & H.264+ and supports up to 12MP cameras (No HDD supplied)

Part No.		Description
 HD IP 32 CH 16 HDD BAY NO HDD FITTED	104-688	HIKVISION DS-9632NI-I16 32 Channel NVR, 320Mbps Bit Rate Input Max (up to 32-ch IP video), supports up to 16 HDD, RAID0,1,5,10 supported, 3U case,19", supports up to 12MP cameras. (No HDD supplied)
	104-689	HIKVISION DS-9664NI-I16 64 Channel NVR, 320Mbps Bit Rate Input Max (up to 64-ch IP video), supports up to 16 HDD, RAID0,1,5,10 supported, 3U case,19", supports up to 12MP cameras. (No HDD supplied)
 HD IP 64 CH 16 HDD BAY NO HDD FITTED	104-690	HIKVISION DS-96128NI-F24/H 128 channel NVR, 400Mbps, RAID, HDMI, Touch Screen, 3U, support for up to 24 HDD Max (No HDD supplied)
 HD IP 128 CH 24 HDD BAY NO HDD FITTED	104-691	HIKVISION DS-9008HQHI-SH Hybrid DVR, 260Mbps Input Max (up to 8-ch Analog & TVI + 10 channel IP) (Up to 18 Channel MAX), 8 SATA, I/O:16/4 Includes 3TB HDD
 HD TVI HD IP 18 CH 8 HDD BAY 3TB HDD FITTED	104-692	HIKVISION DS-9016HQHI-SH Hybrid DVR, 260Mbps Input Max (up to 16-ch Analog & TVI + 18 channel IP) (Up to 32 Channel MAX), 8 SATA, I/O:16/4 Includes 3TB HDD
 HD TVI HD IP 32 CH 8 HDD BAY 3TB HDD FITTED		
HIKVISION VMS & SOFTWARE		
		HIKVISION iVMS4200 MULTISITE REMOTE MANAGEMENT SOFTWARE (BASIC VERSION)
	104-848	iVMS-5200 BASE LICENCE Hikvision Multisite Professional Remote Management Software Starter Kit including 4 Camera Licences
	104-849	iVMS-5200 CAMERA LICENCE Hikvision Multisite Professional Remote Management Software (Licenced Per Camera to be connected) Supports Intelligent Modules such as LPR (e.g. If a customer wants to connect 3 x 16 channel NVR's to VMS5200 then price will be 3*16=48 Cameras x \$66.20= \$3177.60
	104-850	MOBILE VIDEO GIS BASE LICENSE (Car GPS location display in GIS map, track playback etc)
	104-850B	iVMS-5200-MS-C Mobile video surveillance camera license - Additional Camera licences after the base licence
	104-850C	iVMS-5200-MS-BI Mobile surveillance Business Intelligence base license. Functions include: Traffic data analysis including Mileage Statistics, Network Traffic and Online Duration.

	Part No.	Description
	104-852	iVMS5200 LPR MODULE BASE LICENSE
	104-852B	iVMS-5200-ANPR-C ANPR camera license - Additional licences after the base licence
	104-854	TRANSACT BASE LICENSE including 2 POS connections
	104-853	TRANSACT POS CONNECTION LICENSE one license per POS connection
	104-851	BUSINESS INTELLIGENCE BASE LICENSE including Transaction Data Analysis, People counting analysis, Retail traffic analysis functions.
	104-855	STORAGE SERVER BASE LICENSE FOR 64 CAMERA RECORDING
		DVD SUITE including DVD, Package, Configuration tags etc
HIKVISION BLAZER EXPRESS		
	104-920	HIKVISION BLAZER EXPRESS 16 16 Channel System, iVMS-embedded iVMS Station, 2 HDDs, 32G SSD for OS&CMS, 1 HDMI and 1 VGA output and ANPR. Supports Cascading by Client supports up to 15 stations. Pre-install: iVMS; Windows Embedded System 7
	104-921	HIKVISION BLAZER EXPRESS 16/8P 16 Channel System with 8 PoE Ports, iVMS-embedded iVMS Station, 2 HDDs, 32G SSD for OS&CMS, 1 HDMI and 1 VGA output and ANPR supports Cascading by Client supports up to 15 stations. Pre-install: iVMS; Windows Embedded System 7
	104-922	HIKVISION BLAZER EXPRESS 32 32 Channel System, iVMS-embedded iVMS Station, 4 HDDs, 32G SSD for OS&CMS, 1 HDMI and 1 VGA output and ANPR supports Cascading by Client supports up to 15 stations. Pre-install: iVMS; Windows Embedded System 7

Part No.		Description
HIKVISION IP CAMERAS - 2MP		
 2 MP HD IP	104-700	HIKVISION DS-2CD2522FWD-I 2MP IR Mini Dome Camera, Fixed lens, Full HD , 3D DNR, DWDR, POE, IP66, 4mm Lens
	104-702	HIKVISION DS-2CD2E20F 2.8mm 2.0MP Recessed Mount Dome, 2MP, Full HD, DWDR, 3D DNR, HLC, Support for local SD Card, 2.8mm Lens
 2 MP HD IP	104-703	HIKVISION DS-2CD2E20F 4mm 2.0MP Recessed Mount Dome, 2MP, Full HD, DWDR, 3D DNR, HLC, Support for local SD Card, 4mm Lens
	104-727	HIKVISION DS-2CD2122FWD-I 4mm 2MP WDR Fixed Outdoor Dome Network Camera, IP67, DN, 3D DNR, DWDR, BLC ,IR, 4mm Fixed Lens
 2 MP HD IP	104-727W	HIKVISION DS-2CD2122FWD-IW 4mm 2MP WDR Fixed Outdoor Dome Network Camera, IP67, DN, 3D DNR, DWDR, BLC ,IR, 4mm Fixed Lens (WiFi Model)
	104-799	HIKVISION DS-2CD2322WD-I 2.8mm lens, 2MP EXIR Turret Camera, 0lux with IR, 1920x1080: 25fps(P)/30fps(N), H.264/MJPEG, dual-stream, IP66, DC12V & PoE, 120dB WDR, 3D DNR, BLC, EXIR range: up to 30m
 2 MP HD IP	104-802	HIKVISION DS-2CD2722FWD-IZ 2MP outdoor Vandal Dome, 1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080:25fps(P)/30fps(N), 2.8~12mm VF lens, IP66, H.264/MJPEG, dual-stream, IP66, DC12V & PoE, 120dB WDR, 3D DNR, BLC, IR: up to 30m, Support on-board storage up to 64GB (SD card not included), Vandal-proof
	104-803	HIKVISION DS-2CD2622FWD-IZ 2MP WDR Bullet Camera with Motorized 2.8~12mm lens
 2 MP HD IP	104-693	HIKVISION LIGHTFIGHTER DS-2CD4525FWD-IZ 2MP Outdoor Dome, 140DB WDR, 2.8-12mm Zoom Lens, 40m IR
		2 MP LIGHTFIGHTER HD IP

	Part No.	Description
 2 MP DARKFIGHTER HD IP	104-694	HIKVISION DARKFIGHTER DS-2CD4126FWD-IZ 2MP Indoor Dome Camera, 50fps, 2.8-12 Zoom Lens, 30m IR, WDR
 2 MP DARKFIGHTER HD IP	104-695	HIKVISION DARKFIGHTER DS-2CD4526FWD-IZ 2MP Outdoor Dome Camera, 50fps, 2.8-12 Zoom Lens, 40m IR, WDR
 2 MP DARKFIGHTER HD IP	104-696	HIKVISION DARKFIGHTER DS-2CD4A26FWD-IZ 2.8~12mm 2MP Outdoor Bullet Camera, 50fps, 2.8~12 Zoom Lens, 50m IR, WDR
 2 MP DARKFIGHTER HD IP	104-696B	HIKVISION DARKFIGHTER DS-2CD4A26FWD-IZ 8~32mm 2MP Outdoor Bullet Camera, 50fps, 8~32mm Zoom Lens, 50m IR, WDR
 2 MP LIGHTFIGHTER HD IP	104-810	HIKVISION DS-2CD4A25FWD-IZ 8~32mm Lightfighter 2MP Outdoor Bullet Camera, 140dB Triple Exposure WDR, ICR, 0 lux with IR, 8~32mm/F1.4 Motorized VF lens with Smart Focus, H.264/MJPEG, Triple-Stream, Support SD Card up to 128GB, IP67, DC12V/PoEE, Bracket & junction box included, Smart Feature-set
 2 MP LIGHTFIGHTER HD IP	104-810B	HIKVISION DS-2CD4A25FWD-IZ 2.8~12mm Lightfighter 2MP Outdoor Bullet Camera, 140dB Triple Exposure WDR, ICR, 0 lux with IR, 2.8~12mm /F1.4 Motorized VF lens with Smart Focus, H.264/MJPEG, Triple-Stream, Support SD Card up to 128GB, IP67, DC12V/PoEE, Bracket & junction box included, Smart Feature-set
 2 MP HD IP	104-913	HIKVISION DS-2CD4A24FWD-IZ Outdoor Bullet Camera, 4.7~94mm motorized VF lens 1/2.8" Progressive Scan CMOS, ICR, 0 lux with IR, Slow shutter, 1920x1080: 50/60fps, 20x optical zoom lens with Smart Focus, H.264/MJPEG/MPEG4, Triple-Stream, Support SD/SDXC Card up to 128GB, IP67,
 2 MP DARKFIGHTER HD IP	104-697	HIKVISION DARKFIGHTER DS-2CD4026FWD-AP 2MP Ultra Low-Light Full Body Camera, WDR, ABF, Defog, Lens not included
 2 MP ELITE RANGE HD IP	104-699	HIKVISION DS-2CD6424FWD-30 (2m) 2MP IP covert camera. 2.8mm Pinhole, True D/N, 3D DNR,WDR, 2m Cable
 2 MP ELITE RANGE HD IP	104-699B	HIKVISION DS-2CD6424FWD-10 (8m) 2MP IP covert camera. 3.7mm Pinhole, True D/N, 3D DNR,WDR, 8m Cable
 2 MP LIGHTFIGHTER HD IP	104-701	HIKVISION DS-2CD4125FWD-IZ 2MP 'Smart IP' Indoor Vandal Dome, DWDR, 3D DNR, IR, 2.8-12mm With Smart Feature-Set

	Part No.	Description
 1.3MP ELITE RANGE HD IP	104-791	HIKVISION IDS-2CD6412FWD/C (2.1mm)(B) PEOPLE COUNTING 1.3MP Intelligent Network Camera (with 8m lead) DEDICATED TASK CAMERA – PEOPLE COUNTING
 2MP ELITE RANGE HD IP	104-712	HIKVISION DS-2CD4026FWD/P-L 2MP ANPR Camera in housing with 11-40mm lens With Smart Feature-Set including on-board ANPR analytics allowing the ability to detect and recognize a vehicle's number plate and send ANPR info to a Smart NVR or iVMS-5200P for access management. UNIQUE ON-BOARD AUTOMATIC NUMBER PLATE RECOGNITION (ANPR)
 2MP DARKFIGHTER HD IP	104-792	HIKVISION DS-2CD6026FWD/E-H 7-33mm 2MP Ultra Low-light Box Network Camera (with Face Detect) with DS-HV0733D-6MP inc 7~33mm lens
HIKVISION IP CAMERAS - 3MP		
 3MP HD IP	104-796	HIKVISION DS-2CD2632F-I 3MP Bullet Camera, IP66, D/N, 3D DNR, DWDR, BLC, IR, 2.8-12mm
 3MP HD IP	104-790	HIKVISION DS-2CD2432F-I IR CUBE CAMERA 2.8mm 3MP 1/3" Progressive CMOS, ICR, 0.01lux/F1.2, 2048x1536: 20fps, 2.8mm lens, H.264/MJPEG, dual-stream, DC12V & PoE, DWDR, 3D DNR, BLC, Intrusion Detection, Line Crossing Detection, IR: up to 10m, Support on-board card slot (up to 64GB)
	104-790B	HIKVISION DS-2CD2432F-IW-4mm IR Cube Camera with WiFi 4mm 1/3" Progressive CMOS, ICR, 0.01lux/F1.2, 2048x1536: 20fps, 4mm lens, H.264/MJPEG, dual-stream, DC12V & PoE, DWDR, 3D DNR, BLC, Intrusion Detection, Line Crossing Detection, IR: up to 10m, Supports on-board card slot (up to 64GB)
 3MP ELITE RANGE HD IP	104-729	HIKVISION DS-2CD4035FWD-AP 3MP Full Body Camera, WDR, 3DNR, Defog, ABF (Lens not included)
 3MP ELITE RANGE HD IP	104-797	HIKVISION DS-2CD4A35FWD-IZ 3MP Smart IP Outdoor Bullet Camera with 8~32mm Motorized VF Lens. (Bracket & junction box included)
	104-797B	HIKVISION DS-2CD4A35FWD-IZHS 2.8~12mm - 1/2.8" Progressive Scan CMOS, ICR, 0 lux with IR, Slow shutter, 2048x1536: 45fps, 1920x1080: 50/60fps, 2.8~12mm /F1.4 Motorized VF lens with Smart Focus, H.264/MJPEG, Triple-Stream, Support SD/SDXC Card up to 128GB, IP67, DC12V/PoE, Bracket & junction box included, Smart Feature-set, Smart , Audio I/O's and Heater
 3MP ELITE RANGE HD IP	104-910	HIKVISION DS-2CD6332FWD-I 3MP Indoor 360 Deg Panoramic Fisheye IR Camera. 1/3" Progressive CMOS, ICR, 0lux with IR, Up to 2048 x 1536 resolution, 1.19mm/F2.8 lens, 360°Panoramic view, H.264/MPEG4, dual-stream, DC12V & PoE, 102dB WDR, Support on-board storage, Up to 15m IR
	104-910B	Hikvision DS-2CD6332FWD-IV 3MP Indoor / Outdoor IP66 + IK10, 360 Deg Panoramic Fisheye IR Camera. 1/3" Progressive CMOS, ICR, 0lux with IR, Up to 2048 x 1536 resolution, 1.19mm/F2.8 lens, 360°Panoramic view, H.264/MPEG4, dual-stream, DC12V & PoE, 102dB WDR, Support on-board storage, Up to 15m IR

	Part No.	Description
 3MP HD IP PAN-TILT	104-912	HIKVISION DS-2DE4A320IW-DE 3MP Mini 4" IR PTZ , 1/2.8" CMOS sensor, 20X optical zoom, outdoor&indoor use, H.264 codec, Color: 0.05Lux @ (F1.6 AGC ON), B/W:0.01Lux @(F1.6 AGC ON) ; 0 Lux with IR, Angle of View: 58.3-3.2 degree (Wide~Tele), 2048*1536:30fps, 1920×1080: 60fps, Pan range:360°; Tilt range: -5°~90°(Auto Flip), 50m IR Distance, PoE&12VDC
	HIKVISION IP CAMERAS - 4MP	
 4MP HD IP	104-704	HIKVISION DS-2CD2542FWD-IS 2.8mm 4MP IR Mini Dome, Full HD, 3D DNR, DWDR, PoE, 2.8mm Fixed Lens, IP66, Audio Interface
	104-705	HIKVISION DS-2CD2542FWD-IS 4mm 4MP IR Mini Dome, 4mm Fixed lens, Full HD, 3D DNR, DWDR, POE, IP66, Audio Interface
	104-707	HIKVISION DS-2CD2542FWD-IS 6mm 4MP IR Mini Dome, 6mm Fixed lens, Full HD, 3D DNR, DWDR, POE, IP66, Audio Interface
 4MP HD IP	104-708	HIKVISION DS-2CD2542FWD-IW 4mm 4MP Mini Dome, WiFi, 3D DNR, DWDR, BLC, IP66, 4mm
	104-749	HIKVISION DS-2CD2542FWD-IWS 2.8mm 4MP Mini Dome, WiFi, 3D DNR, DWDR, BLC, IP66, 2.8mm with Audio and I/O's
 4MP HD IP	104-713	HIKVISION DS-2CD2342WD-I 2.8mm 4MP Outdoor IR Ball Camera, 120dB WDR, 3D DNR, EXIR IR Tech, 2.8mm, Fixed Lens, IP66, 12V & PoE, IR Range up to 30 Meters
	104-710	HIKVISION DS-2CD2342WD-I 4mm 4MP Outdoor IR Ball Camera, 120dB WDR, 3D DNR, EXIR IR Tech, 4mm, Fixed Lens, IP66, 12V & PoE, IR Range up to 30 Meters
	104-706	HIKVISION DS-2CD2342WD-I 6mm 4MP Outdoor IR Ball Camera, 120dB WDR, 3D DNR, EXIR IR Tech, 6mm, Fixed Lens, IP66, 12V & PoE, IR Range up to 30 Meters
	104-714	HIKVISION DS-2CD2342WD-I 12mm 4MP Outdoor IR Ball Camera, 120dB WDR, 3D DNR, EXIR IR Tech, 12mm, Fixed Lens, IP66, 12V & PoE, IR Range up to 30 Meters
 4MP HD IP	104-715	HIKVISION DS-2CD2742FWD-I 4MP Outdoor Dome, IP66, DN, 3D DNR, DWDR, BLC, IR, 2.8-12mm VF lens
	104-715M	HIKVISION DS-2CD2742FWD-ISZ 4MP Outdoor Dome, with Audio I/O, IP66, DN, 3D DNR, DWDR, BLC, IR, 2.8-12mm VF Motorized lens.
	104-715Z	HIKVISION DS-2CD2742FWD-IS 4MP Outdoor Dome, IP66, DN, 3D DNR, DWDR, BLC, IR, 2.8-12mm VF, 1ch audio I/O and 1ch alarm I/O
 4MP HD IP	104-716	HIKVISION DS-2CD2142FWD-I (4mm) 4MP Outdoor Dome, IP66, DN, 3D DNR, DWDR, BLC ,IR, 4mm Fixed Lens
	104-716A	HIKVISION DS-2CD2142FWD-IS (2.8mm) 4MP Outdoor Dome, IP66, DN, 3D DNR, DWDR, BLC ,IR, 2.8mm Fixed Lens With audio and alarm I/O
	104-716B	HIKVISION DS-2CD2142FWD-I (2.8mm) 4MP Outdoor Dome, IP66, DN, 3D DNR, DWDR, BLC ,IR, 2.8mm Fixed Lens Compatible accessories: 104-780 mounting base 104-781C wall bracket


	Part No.	Description
 4MP HD IP	104-717	HIKVISION DS-2CD2142FWD-I 6mm 4MP Outdoor Dome, IP66, DN, 3DNR, DWDR, BLC, IR, 6mm Fixed Lens
	104-718	HIKVISION DS-2CD2142FWD-I 12mm 4MP Outdoor Dome, IP66, DN, 3D DNR, DWDR, BLC, IR, 12mm Fixed Lens Compatible accessories: 104-780 mounting base 104-781C wall bracket
 4MP HD IP	104-721	HIKVISION DS-2CD2042WD-I 4MP Bullet Camera, 3D DNR, IR, 4mm Fixed Lens
 4MP HD IP	104-722	HIKVISION DS-2CD2T42WD-I5 4mm 4MP Bullet Camera, 3D DNR, EXIR IR Tech, 4mm Fixed Lens (50m IR Distance)
	104-723	HIKVISION DS-2CD2T42WD-I5 8mm 4MP Bullet Camera, 3DNR, EXIR IR Tech, 8mm Fixed Lens (50m IR Distance)
	104-724	HIKVISION DS-2CD2T42WD-I5 16mm 4MP Bullet Camera, 3DNR, EXIR IR Tech, 16mm Fixed Lens (50m IR Distance)
 4MP HD IP	104-726	HIKVISION DS-2CD2642FWD-I 4MP Bullet Camera, IP66, D/N, 3D DNR, DWDR, BLC, IR, 2.8-12mm
	104-726B	HIKVISION DS-2CD2642FWD-IS 4MP Bullet Camera, IP66, D/N, 3D DNR, DWDR, BLC, IR, Alarm I/O
	104-726M	HIKVISION DS-2CD2642FWD-IZ 4MP Bullet Camera, IP66, D/N, 3D DNR, DWDR, BLC, IR, 2.8-12mm Motorized Lens Compatible accessories: 104-779 mounting base
 4MP HD IP	104-728	HIKVISION DS-2CD2942F-IWS 4MP Economic 180° Panoramic Fisheye Camera
 4MP HD IP PAN-TILT	104-795	HIKVISION DS-2CD2F42FWD-I 4MP Full HD1080p, Pan-tilt Camera with 2.8mm lens

Part No.		Description
HIKVISION IP CAMERAS - 6MP		
 6MP ELITE RANGE HD IP	104-730	HIKVISION DS-2CD4165F-IZ 6MP Indoor Dome Camera, 25fps, 2.8-12mm Zoom Lens, 30m IR Compatible accessories: 104-812 wall bracket
 6MP ELITE RANGE HD IP	104-731	HIKVISION DS-2CD4565F-IZ 6MP Outdoor Dome Camera, 25fps, 2.8-12mm Zoom Lens, 40m IR Compatible accessories: 104-813 wall bracket
 6MP ELITE RANGE HD IP	104-732	HIKVISION DS-2CD4A65F-IZ 6MP Outdoor Bullet Camera, 25fps, 2.8-12mm Zoom Lens, 50m Smart IR Compatible accessories: 104-776 mounting base
 6MP ELITE RANGE HD IP	104-732B	HIKVISION DS-2CD4A65F-IZHS 6MP Outdoor Bullet Camera, 25fps, 2.8-12mm Zoom Lens, Heater and Audio I/O's, 50m Smart IR
 6MP ELITE RANGE HD IP	104-733	HIKVISION DS-2CD4065F 6MP Full Body Camera with Auto Back Focus, 25fps (Lens not included)
 6MP ELITE RANGE HD IP	104-734	HIKVISION DS-2CD4065F-AP 6MP Full Body Camera with Auto Back Focus & P-Iris Functionality, 25fps (Lens not included)
 6MP ELITE RANGE HD IP	104-735	HIKVISION DS-2CD6362F-IV 6MP Outdoor Fisheye 360, 3D DNR, DWDR, IR, IP66, Panoramic Capable

Part No.		Description
HIKVISION IP CAMERAS - 12MP & 4K		
 4K ELITE RANGE HD IP	104-738	HIKVISION DS-2CD4585F 4K Outdoor IR Vandal Dome with 2.8~12mm/F1.4 Motorized VF lens with Smart Focus, H.264/MJPEG, Triple-Stream, Support SD/SDXC Card up to 128GB, Up to 40m IR, IP66, DC12V/AC24V/PoE, Audio/Alarm IO, Vandal-proof, Smart Feature-set Compatible accessories: 104-813 wall bracket
	104-739	HIKVISION DS-2CD45C5F 12MP Outdoor IR Vandal Dome with 2.8~12mm/F1.4 Motorized VF lens with Smart Focus, H.264/MJPEG, Triple-Stream, Support SD/SDXC Card up to 128GB, Up to 40m IR, IP66, DC12V/AC24V/PoE, Audio/Alarm IO, Vandal-proof, Smart Feature-set Compatible accessories: 104-813 wall bracket
 12MP ELITE RANGE HD IP	104-679	HIKVISION DS-2CD63C2F 12MP Outdoor Fisheye 360, 3D DNR, DWDR, IR, IP66, 360 Panoramic view CapableUp to 4000 x 3072 at 20fps resolution, 1.98mm/F2.4 lens, H.264/MPEG4, dual-stream, DC12V & PoE, Support on-board storage, Up to 15m IR, Up to 1600x1200 ePTZ, Built-in microphone & speaker
	104-679B	HIKVISION DS-2CD63C2F-IV 12MP Outdoor Fisheye 360, 3D DNR, DWDR, IR, IP66, 360 Panoramic view CapableUp to 4000 x 3072 at 20fps resolution, 1.98mm/F2.4 lens, H.264/MPEG4, dual-stream, DC12V & PoE, Support on-board storage, Up to 15m IR, Up to 1600x1200 ePTZ, Built-in microphone & speaker. IK10 Vandal Resistant.
HIKVISION IP PTZ CAMERAS		
 23X ZOOM 36X ZOOM 2MP HD IP	104-736	HIKVISION DS-2DF8223I-AEL Darkfighter IR PTZ Camera, 23x Zoom, High POE & 24VAC
	104-737	HIKVISION DS-2DF8223I-AEL (W) Darkfighter IR PTZ Camera, 23x Zoom, High POE & 24VAC with Wiper
	104-736B	HIKVISION DS-2DF8236I-AEL Darkfighter IR PTZ Camera, 36x Zoom, High POE & 24VAC
 20X ZOOM 2MP HD IP	104-740F	HIKVISION DS-2DF5284-AE3 2MP Indoor PTZ, 20x Zoom, 3D DNR with Recessed Kit (24VAC) Includes 1 x Camera 1 x Recess Kit
 20X ZOOM 2MP HD IP	104-742	HIKVISION DS-2DF7284-AEL 2MP IR PTZ, 3D DNR, 20x Zoom, 1080p Real Time, 120m IR (Hi-PoE & 24VAC)

	Part No.	Description
 20X ZOOM 30X ZOOM 2MP HD IP	104-743	HIKVISION DS-2DF5284-AEL 2MP Outdoor PTZ, 20x Zoom, 3D DNR (Hi-PoE&24VAC)
	104-744	HIKVISION DS-2DF5286-AEL 2MP Outdoor PTZ, 30x Zoom, 3D DNR, DWDR, IP66 (Hi-PoE & 24VAC)
 30X ZOOM 2MP HD IP	104-745	HIKVISION DS-2DF7286-AEL 2MP Outdoor IR PTZ, 30x Zoom, 3D DNR, DWDR, IP66 (Hi-PoE & 24VAC)
 36X ZOOM 3MP HD IP	104-720	HIKVISION DS-2DF8336IV-AEL(W) 3MP @ 60fps, 1/3" CMOS sensor, 36x Zoom, 120dB WDR, Pan range:360° endless; Tilt range: -20°~90°(Auto Flip), Pan Speed: 0.1°~160°/s, Tilt Speed: 0.1°~120°/s, smart tracking, smart detection, defog, IK10, Hi-PoE&24VAC
 36X ZOOM 3MP HD IP	104-680	HIKVISION DS-2CD4332FWD-PTZ 3MP Smart PTZ Outdoor Dome Camera 2.8~12mm lens, AC24V/PoE
 4X + 16X ZOOM 2MP HD IP	104-836	HIKVISION DS-2DE3204W-DE 2MP Mini PTZ, 1/2.8" CMOS sensor, 3-inch bubble, 4X optical zoom, outdoor&indoor use, H.264/H.265 codec, Color: 0.1lux/F2.0, B/W:0.01lux/F2.0, Optical Zoom:4x, Focus:2.8-12.0mm, Angle of View: 80-33.5 degree (Wide~Tele), Digital Zoom:16X

Part No.		Description
HIKVISION SPECIALISED CAMERAS		
 36X ZOOM 2MP HD IP	104-804	HIKVISION DS-2DY9188-AI2 2MP 36X IR Ultra-Low Illumination Positioning System 1920×1080 Full HD output Ultra-low illumination Wide movement range 36X optical zoom, 16X digital zoom Up to 200m IR distance True Day/Night, true WDR, 3D DNR, Defog 3D intelligent positioning Triple stream Audio/Alarm I/O Wiper for self-cleaning
	104-808	HIKVISION DS-2CD6986F-H PANOVU 180 Deg, 8MP Panoramic Darkfighter Ultra-low light Camera. 4 x 1/1.8" Progressive CMOS, ICR, Color: 0.002lux/F1.2, B/W: 0.0002lux/F1.2, 1920 x 1080 up to 30fps, DWDR, H.264/MPEG4, Defog, Audio/Alarm IO, AC24V & DC12V & PoE, ROI codec, Support on-board storage up to 128GB, Full Smart
HIKVISION IP ENCODERS/DECODERS		
 1 / 4 / 8 CH DECODER ▼	104-750	HIKVISION DS-6401HDI-T DECODER 1-ch@5MP/1080P, 2-ch 720P/4-ch 4CIF decode, 1-ch HDMI, VGA & BNC output
	104-751	HIKVISION DS-6404HDI-T DECODER 4-ch@5MP/1080P, 8-ch@720P or 16-ch@4CIF, 4-ch HDMI, VGA & BNC output
	104-752	HIKVISION DS-6408HDI-T DECODER 8-ch@5MP/1080P, 16-ch@720P or 32-ch@4CIF, 8-ch HDMI, VGA & BNC output
 1 / 4 CH ENCODER ▲	104-753	HIKVISION DS-6701HWI ENCODER 1CH 1ch video & 1ch audio input, 4CIF: 25 fps/ch, 1 PoE Ethernet interface, alarm I/O: 1/1, MicroSD, compact design
	104-754	HIKVISION DS-6704HWI ENCODER 4CH 4ch video & 4ch audio input, 4CIF: 25 fps/ch, 1 PoE Ethernet interface, alarm I/O: 4/1, MicroSD, compact design
 8 CH ENCODER ▲	104-755	HIKVISION DS-6708HWI ENCODER 8CH 8ch video & 8ch audio input, 4CIF: 25 fps/ch, Gigabit NIC, alarm I/O: 8/4, RS232, 1U
 16 CH ENCODER ▲	104-756	HIKVISION DS-6716HWI ENCODER 16CH 16ch video & 16ch audio input, 4CIF: 25 fps/ch, Gigabit NIC, alarm I/O: 16/4, RS232, 1U, 19"
HIKVISION KEYBOARD		
	104-759	HIKVISION DS-1100KI SECURITY KEYBOARD with Joystick, 7" TFT Touch Screen to control PTZ, DVRs, NVRs - Ergonomic design with 800×480 LCD touch panel - Live view and playback of video on screen at up to 1080p resolution 1-channel video decoding for local preview - Video capture and recording to local U-flash disk - Compatible with DVR/DVS, matrix, network camera/dome, PC-DVR, etc. - Supports 15 operators, and each user is allowed to operate 256 devices

Part No.		Description
HIKVISION NETWORKING & ACCESSORIES		
 16 PORT PoE	104-800	HIKVISION DS-3E0318P-E 16 Port PoE Switch With 250m PoE Extender
 24 PORT PoE	104-801	HIKVISION DS-3D2228P 24 PortPoE Switch Managed
	104-793	HIKVISION DS-1H05-T/E POE over Coax transmission transmitter up to 300m Tx only Requires 104-794 DS-1H05-R Receiver
	104-794	HIKVISION DS-1H05-R POE over Coax transmission Receiver up to 300m Rx only Requires 104-793 DS-1H05-T/E Transmitter
	K-1H05TxRx	Hikvision PoE over Coax Kit Includes 1 x Hikvision DS-1H05-T/E POE over Coax transmitter 1 x Hikvision DS-1H05-R POE over Coax Receiver
	104-709	60W Hi-PoE injector
HIKVISION LENSES		
	104-760	HIKVISION 3MP Lens TV0550D-MPIR 1/2.7inch, 5 ~ 50mm, CS mount
	104-761	HIKVISION 3MP Lens TV2712D-MPIR 1/2.7inch, 2.7 ~ 12mm, CS mount
	104-762	HIKVISION Lens HV0733D-6MP 6MP Dark Eye, 7-33mm, F0.95 CS 1/1.8"
	104-763	HIKVISION Lens HV1140D-8MPIR 8MP, 11-40mm, F1.5 CS 1/1.8"
	104-764	HIKVISION Lens HV1140P-8MPIR 8MP P Iris, 11-40mm, F1.5 CS 1/1.8"
	104-765	HIKVISION Lens HV3816D-8MPIR 8MP, 3.8-16mm, F1.5 CS 1/1.8"

	Part No.	Description
	104-766	HIKVISION Lens HV3816P-8MPIR 8MP P Iris, 3.8-16mm, F1.5 CS 1/1.8"
	104-767	HIKVISION Lens HF3417D-12MPIR 12MP, 3.4-17mm, F1.7 CS 1/1.8"
HIKVISION MONITORS		
 SAMPLE IMAGE ONLY	104-900	HIKVISION DS-D5022QE-B 22" CCTV Monitor, 1080P, HDMI/VGA input, build-in speaker, view angle:170°/160°
	104-901	HIKVISION DS-5022FC MONITOR 21.5" 1080P, HDMI/VGA/BNC input, built-in speaker, view angle:170°/160°
	104-902	HIKVISION DS-D5032FC MONITOR 32" 1080P, HDMI/VGA/BNC input, BNC output, built-in speaker, view angle:178°/178°
HIKVISION CAMERA BRACKETS / HOUSINGS		
	104-798	DS-1322HZ-C OUTDOOR CAMERA HOUSING
	104-770	HIKVISION DS-1602ZJ Wall Mount Bracket for DS-2DF8XXX and DS-2AE7230TI Suits 104-736, 104-737, 104-740 to 104-745, 104-675 PTZ Cameras
	104-771	HIKVISION DS-1662ZJ Pendant Mount Bracket for DS-2DF8XXX Suits 104-736, 104-737, 104-740 to 104-745 PTZ Cameras
	104-771S	Hikvision DS-1663ZJ Ceiling Mount Bracket for for DS-2DF8XXX (104-736, 104-737, 104-740 - 104-745) PTZ Cameras.
	104-772	HIKVISION DS-1273ZJ-135 Wall Mounting Bracket for DS-CD2712 series vandal domes

	Part No.	Description
	104-772B	HIKVISION DS-1273ZJ-135B Wall Mounting Bracket with Junction Box for DS-CD2712 series vandal domes
	104-772C	HIKVISION DS-1271ZJ-135 Pendant mount for Dome camera
	104-811	HIKVISION DS-1273ZJ-160B Wall Mount Bracket with junction box for DS-2CD43xx Cameras
	104-812	HIKVISION DS-1273ZJ-130B Wall Mount Bracket for DS-2CD41xx Cameras
	104-813	HIKVISION DS-1273ZJ-DM26-B Wall Mount Bracket with Junction Box for DS-2CD45xxF (WD) Cameras
	104-805	HIKVISION DS-1273ZJ-140 Wall mount bracket for TVI Vandal Domes
	104-805B	HIKVISION DS-1273ZJ-140B Wall mount bracket with Junction Box for TVI Vandal Domes

	Part No.	Description
	104-806	HIKVISION DS-1241ZJ Flush Mount bracket for TVI Vandal Domes
	104-814	HIKVISION DS-1292ZJ Wall Mount Bracket for DS-2CD40xx series and DS-2CD60xx series Box Cameras
	104-814B	HIKVISION DS-1293ZJ Wall bracket for 104-712 DS-2CD4026FWD/P-L ANPRL Camera
	104-773	HIKVISION DS-1275ZJ POLE MOUNT Pole mount bracket for 42XX 26XX 2TXX 4AXX Cameras
	104-774	HIKVISION DS-1280ZJ-DM21 Junction Mounting Base for DS-2CD27xx, DS-2CE16xx Cameras
	104-775	HIKVISION DS-12722J-110-TRS Wall Mount Bracket for DS-55xx, and 51xx Cameras
	104-776	HIKVISION DS-1280ZJ-S Junction Mounting Base for 21XX, DS-2CE16xx DSCE56xx Cameras Suits 104-670, 104-668, 104-732
	104-777	HIKVISION DS-1273ZJ-130-TRL Wall Mount Bracket for Junction Mounting base for DS-2CD23xx Cameras Suits 104-714, 706, 713, 710
	104-778	HIKVISION DS-1280ZJ-M Junction Mounting Base for 23XX & DS-2CE56xx Cameras Suits 104-673, 104-672, 104-714, 706, 713, 710
	104-779	HIKVISION DS-1260ZJ Junction Mounting Base for DS-2CD2212-I5, DS-2CD2232-I5, DS-2CD2612F-I(S), DS-2CD2632F-I(S) Bullet Cameras

	Part No.	Description
	104-780	HIKVISION DS-1280ZJ-DM18 Junction Mounting base for DS-2CD21xx Cameras Suits 104-718, 717, 716
	104-780B	HIKVISION DS-1271ZJ-110 Pendant Mounting Bracket for Mini Dome Camera
	104-785	HIKVISION DS-1271ZJ-130 Pendant Mounting Bracket for Mini Dome Camera
	104-781	HIKVISION DS-1272ZJ-110 Wall Mount Bracket for DS-2CD2112-I, DS-2CD2132-I and 104-668, 104-668B DS-2CE56D5T-IT3 cameras
	104-781B	HIKVISION DS-1272ZJ-110B Wall Mount Bracket with Junction Box for DS-2CD2112-I, DS-2CD2132-I and 104-668, 104-668B DS-2CE56D5T-IT3 cameras
	104-781C	HIKVISION DS-1258ZJ Wall Mount Bracket for DS-2CD2112-I, DS-2CD2132-I and 104-668, 104-668B DS-2CE56D5T-IT3 cameras
	104-782	HIKVISION DS-1280ZJ-DM26 Junction Mounting base for DS-2CD45XXF Cameras Suits 104-693, 695
	104-783	HIKVISION DS-1280ZJ-DM25 Ceiling Mount Junction Box for Fish Eye Cameras
	104-784	HIKVISION DS-1280ZJ-XS Junction Mounting base for DS-2CD56D5T Cameras Suits 104-667

	Part No.	Description
	104-786	HIKVISION DS-1227ZJ In-ceiling / flush mount bracket
	104-787	HIKVISION DS-1281ZJ-M Inclined ceiling mount bracket
	104-788	HIKVISION DS-1276ZJ Corner mount Bracket
	104-815	HIKVISION DS-1602ZJ-BOX Wall Mount (Including Power Box) for AE5xxx and AE7xxx PTZ Cameras
	104-816	HIKVISION DS-1602ZJ-CORNER Corner Mount for AE5xxx and AE7xxx PTZ Cameras
	104-817	HIKVISION DS-1602ZJ-POLE Pole Mount for AE5xxx and AE7xxx PTZ Cameras
	104-817B	HIKVISION DS-1619ZJ GooseNeck PTZ Mount for DS-2DE/AE5xxx, DS-2DE/AE7xxx
	104-818	HIKVISION DS-1660ZJ Parapet Wall Mount Bracket for DS-2DE/AE5xxx, DS-2DE/AE7xxx PTZ

	Part No.	Description
	104-836A	Hikvision 1227ZJ-PT6 wall flush mount bracket for 104-836 DS-2DE3204W-DE 2MP Network Mini PTZ Dome Camera
	104-836B	Hikvision DS-1273ZJ-PT6 wall mount bracket for 104-836 DS-2DE3204W-DE 2MP Network Mini PTZ Dome Camera
	104-836C	Hikvision DS-1280ZJ-PT6 junction box for 104-836 DS-2DE3204W-DE 2MP Network Mini PTZ Dome Camera
	104-837	Hikvision DS-1273J-DM25 Wall Mount Junction Box for Fish Eye Cameras

Part No.		Description
HIKVISION IP INTERCOM		
 104-825 1ch 104-826 2ch 104-827 4ch	104-825	Hikvision DS-KV8102-IM 1.3 MP Villa Door Station, Aluminum alloy, Camera resolution: HD720P, 25fps(P), 10M/100M Self-adaptive Ethernet, RS-485, 4-ch alarm input, 1-ch alarm output, IP65, 12 VDC, 1-ch Indoor station access, IR Supplement
	104-826	Hikvision DS-KV8202-IM 1.3 MP Villa Door Station, Aluminum alloy, Camera resolution: HD720P, 25fps(P), 10M/100M Self-adaptive Ethernet, RS-485, 4-ch alarm input, 1-ch alarm output, IP65, 12 VDC, 2-ch Indoor station access, IR Supplement
	104-827	Hikvision DS-KV8402-IM 1.3 MP Villa Door Station, Aluminum alloy, Camera resolution: HD720P, 25fps(P), 10M/100M Self-adaptive Ethernet, RS-485, 4-ch alarm input, 1-ch alarm output, IP65, 12 VDC, 4-ch Indoor station access, IR Supplement
	104-828	Hikvision DS-KH8300 WHITE 7" Touch-Screen Indoor Station, 7-inch Color TFT LCD, display resolution: 1024 * 600, 10/100Mbps Ethernet, 8-ch alarm input, Power Over Network Cable/ 12 VDC
	104-828B	Hikvision DS-KH8300 BLACK 7" Touch-Screen Indoor Station, 7-inch Color TFT LCD, display resolution: 1024 * 600, 10/100Mbps Ethernet, 8-ch alarm input, Power Over Network Cable/ 12 VDC
	104-829	Hikvision DS-KH8301-WT 7" Touch-Screen Indoor Station, Mechanical Switch, 7-inch Color TFT LCD, display resolution: 1024 * 600, Camera resolution: 640 * 480, 10/100Mbps Ethernet, Wi-Fi 802.11b/g/n, 8-ch alarm input, support SD card, Power Over Network Cable/ 12 VDC
	104-830	Hikvision DS-KD8102-V 3.5" Capacitive Touch Key 1.3 MP Door Station, Plastic, 3.5-inch Colorful TFT LCD, display resolution: 480 * 320, Camera resolution: HD720P, 25fps(P)/30fps(N), 10M/100M/1000M Self-adaptive Ethernet, Wiegand & RS-485, 8-ch alarm input, 4-ch alarm output, IP65, USB 2.0, 12 VDC Visible Light Supplement
	104-831	Hikvision DS-KD8002-VM 3.5 inch Physical Touch Key 1.3 MP Door Station, ALuminum Ally, 3.5-inch Colorful TFT LCD, display resolution: 480 * 320, Camera resolution: HD720P, 25fps(P)/30fps(N), 10M/100M/1000M Self-adaptive Ethernet, Wiegand & RS-485, 8-ch alarm input, 4-ch alarm output, IP65, USB 2.0, 12 VDC Visible Light Supplement
	104-832	Hikvision DS-KM8301 Master Station, 7-inch TFT LCD, display resolution: 1024 * 600, camera resolution 640*480, 10/100/1000Mbps Ethernet, USB interface
	104-825KIT	Hikvision Residential IP Intercom KIT BLACK Includes 1 x 104-825 Door Station 1 x 104-828B Room Station BLACK 1 x 104-833 Power Distribution Module

	Part No.	Description
	104-833	Hikvision DS-KAD606 built-in voltage-stabilized power, 8 x 100Mbps ports(6-ch supporting network cable powering and 2-ch cascading LAN interfaces), suitable for indoor station and villa door station
	104-834	Hikvision DS-KAD612 built-in voltage-stabilized power, 16 x 100Mbps ports(6-ch supporting network cable powering and 2-ch cascading LAN interfaces), suitable for indoor station and villa door station
	104-835	Hikvision DS-K2M0008A Intercom Lift Interface 8 Floor capacity, 8 relay outputs. Cascade several interfaces for multiple floors.

Part No. Description	
HIKVISION MOBILE SURVEILLANCE TVI	
 HD TVI 4 CH MOBILE 1TB HDD SUPPLIED	104-860A Hikvision DS-MP7504HMI TVI MDVR 720P Real Time Recording 4-ch video & 4-ch audio input (Aviation Camera connections), CH1~CH4: 25/30fps@720p, pluggable Anti-vibration HDD box(2* 2.5" SATA interface, up to 1T for each, 1*USB interface), alarm I/O: 4/3 Inc 1 x 1TB HDD (not installed)
	104-860B Hikvision DS-MP7504HMI/GW TVI MDVR 4-ch video & 4-ch audio input (Aviation Camera connections), CH1~CH4: 25/30fps@720p, pluggable Anti-vibration HDD box(2* 2.5" SATA interface, up to 1T for each, 1*USB interface), alarm I/O: 4/3, built-in 3G(WCDMA) & GPS module, Inc 1 x 1TB HDD (not installed)
	104-860 Hikvision DS-MP7504HMI/GW/WI TVI DVR 4-ch video & 4-ch audio input (Aviation Camera connections), CH1~CH4: 25/30fps@720p, pluggable Anti-vibration HDD box(2* 2.5" SATA interface, up to 1T for each, 1*USB interface), alarm I/O: 4/3, built-in 3G(WCDMA) & GPS & WIFI module, Inc 1 x 1TB HDD (not installed)
 1MP MOBILE MIC	104-861 Hikvision DS-2CS58C0T-ITS TVI HD720P 1MP Mobile DVR Camera 20m IR Distance, 0.1 Lux/F1.4, 6-16V DC, Built-in Microphone, Aviation Connector, Wide operating temperature Range (-40°~75°), 2.8mm Lens
 1MP MOBILE IP68	104-862 Hikvision DS-2CS58C0T-ITR TVI HD720P 1MP Mobile DVR Camera 20m IR Distance, 0.1 Lux/F1.4, 6-16V DC, Aviation Connector, Wide operating temperature Range (-40°~75°), IP68, 2.8 mm Lens
	104-865-4 Hikvision Aviation Connector Cable Cable 4m Connect mobile analog camera to mobile DVR via 4 pin aviation interface. Cable carries video, audio and 12 VDC power, UL20276 standard
	104-865-6 Hikvision Aviation Connector Cable Cable 6m
	104-865-8 Hikvision Aviation Connector Cable Cable 8m
	104-865-10 Hikvision Aviation Connector Cable Cable 10m
	104-865-12 Hikvision Aviation Connector Cable Cable 12m
	104-865-16 Hikvision Aviation Connector Cable Cable 16m
	104-865-18 Hikvision Aviation Connector Cable Cable 18m
	104-865-20 Hikvision Aviation Connector Cable Cable 20m
HIKVISION MOBILE SURVEILLANCE IP	
 HD IP 4 CH MOBILE 1TB HDD SUPPLIED	104-843A Hikvision DS-M5504HNI 4ch 1080P Mobile NVR 4ch audio input, 4x PoE RJ45 interface, pluggable Anti-vibration HDD box(2x 2.5" SATA interface, 2x USB 2.0 interface) , Alarm I/O: 3/2, Inc 1 x 1TB HDD (not installed)
	104-843B Hikvision DS-M5504HNI/GW 4ch 1080P Mobile NVR 4ch audio input, 4x PoE RJ45 interface, pluggable Anti-vibration HDD box(2x 2.5" SATA interface, 2x USB 2.0 interface) , Alarm I/O: 3/2, Built-in 3G(WCDMA) & GPS module, Inc 1 x 1TB HDD (not installed)
	104-843 Hikvision DS-M5504HNI/GW/WI 4ch 1080P Mobile NVR 4ch audio input, 4x PoE RJ45 interface, pluggable Anti-vibration HDD box(2x 2.5" SATA interface, 2x USB 2.0 interface) , Alarm I/O: 3/2, Built-in 3G(WCDMA) & GPS & Wi-Fi module, Inc 1 x 1TB HDD (not installed)
 HD IP 8 CH MOBILE 1TB HDD SUPPLIED	104-842A Hikvision DS-M7508HNI 8ch 1080P Mobile NVR 8ch audio input, 8 PoE RJ45 interface, pluggable Anti-vibration HDD box(2*SATA interface, 1*USB interface) , 1*SD/SDHC slot, alarm I/O: 8/2, Inc 1 x 1TB HDD (not installed)
	104-842B Hikvision DS-M7508HNI/GW 8ch 1080P Mobile NVR 8ch audio input, 8 PoE RJ45 interface, pluggable Anti-vibration HDD box(2*SATA interface, 1*USB interface) , 1*SD/SDHC slot, alarm I/O: 8/2 built-in 3G(WCDMA) & GPS module, Inc 1 x 1TB HDD (not installed)
	104-842 Hikvision DS-M7508HNI/GW/WI 8ch 1080P Mobile NVR 8ch audio input, 8 PoE RJ45 interface, pluggable Anti-vibration HDD box(2*SATA interface, 1*USB interface) , 1*SD/SDHC slot, alarm I/O: 8/2 built-in 3G(WCDMA) & GPS & WIFI module, Inc 1 x 1TB HDD (not installed)

	Part No.	Description
 HD IP 2MP MOBILE	104-840	Hikvision DS-2CD6520D-IO 2MP 1080P Mobile IP Camera Olux with IR, 2.8 mm fixed lens, 3-axis adjustment, 3D DNR, DWDR, H.264/MJPEG, 1920x1080 up to 30fps, Up to 64GB on-board storage (SD card not included), Audio I/O, DC24V, EN50155, EN50121, Intensified mechanic design (Recommended for indoor use)
 HD IP 2MP MOBILE IP68	104-841	Hikvision DS-2CD6520ET-IO 2MP 1080P Mobile IP Camera Olux with IR, 6mm fixed lens, FoV: 46°, 3-axis adjustment, 3D DNR, DWDR, H.264/MJPEG, 1920x1080 up to 30fps, DC12V & PoE, Up to 30m IR range, IP68 & IK10 protection, EN50155, EN50121, Intensified mechanic design, Built-in Heater and demisting. (for indoor and outdoor use)
 HD IP 2MP MOBILE 360°	104-844	Hikvision DS-2CD6562PT 6MP Panoramic View with ePTZ Camera 1.27mm/F2.0 fixed lens, FoV: 360°, 3D DNR, DWDR, H.264/MJPEG, 3072x2048 fisheye view, 2048x1536 panoramic view, 1024x768 ePTZ view, DC24V WAGO & POE, EN50155, EN50121, Intensified mechanic design, Built-in Heater and demisting, Hardware de-warping, M12 10M/100M Ethernet port. (recommended for indoor use)
	104-845	Hikvision DS-1300HMI Mobile DVR / NVR LCD monitor 7 inch LCD monitor, 800x480 RGB, 4 pin aviation input interface
	104-846	Hikvision DS-1530HMI Mobile DVR / NVR Alarm Button Status display, Alarm button, G-sensor
	104-847	Hikvision DS-1350HM Mobile DVR / NVR Voice intercom unit

No further discounts apply. Hikvision products are excluded from Ness discount programs. Hikvision DPP prices are published separately.



Innovative Electronic Solutions
www.ness.com.au



NSW Ph 02 8825 9222
sales@ness.com.au

VIC Ph 03 9875 6400
nessmelb@ness.com.au

QLD Ph 07 3399 4910
nessbris@ness.com.au

WA Ph 08 9328 2511
nessper@ness.com.au

SA Ph 08 8152 0000
adelaide@ness.com.au